EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	10/498182	US-PGPUB; USPAT	OR	ON	2009/02/04 11:20
L3	1	10/583523	US-PGPUB; USPAT	OR	ON	2009/02/04 13:32
S1	2	10/004234	US-PGPUB; USPAT	OR	ON	2007/12/31 16:59
S2	13	("4787691" | "4997246" | "5237639" | "5838870").PN. OR ("6580863").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/31 17:24
S3	537	((optic$5) with (fiber$4) with (waveguid$6 or planar)) same taper$6 same mod$2	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/31 17:26
S4	13	("4787691" | "4997246" | "5237639" | "5838870").PN. OR ("6580863").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/01 17:15
S5	932	(waveguide) same (core with taper$5)	US-PGPUB; USPAT	OR	ON	2008/12/01 17:17
S6	48856	"385".clas.	US-PGPUB; USPAT	OR	ON	2008/12/01 17:17
S7	12537	(core with taper$5)	US-PGPUB; USPAT	OR	ON	2008/12/01 17:18
S8	401	(core with taper$5 with (horizontal$4 vertical $4))	US-PGPUB; USPAT	OR	ON	2008/12/01 17:18
S9	1636	S6 and S7	US-PGPUB; USPAT	OR	ON	2008/12/01 17:18
S10	93	S6 and S8	US-PGPUB; USPAT	OR	ON	2008/12/01 17:18
S11	62	(core with taper$5 with (horizontal$4 with vertical$4))	US-PGPUB; USPAT	OR	ON	2008/12/01 17:18
S12	77	S10 not S11	US-PGPUB; USPAT	OR	ON	2008/12/01 17:25
S13	767	(waveguide) with (core with taper$5)	US-PGPUB; USPAT	OR	ON	2008/12/02 10:50
S14	48892	"385".clas.	US-PGPUB; USPAT	OR	ON	2008/12/02 10:50

S15	605	S13 and S14	US-PGPUB; USPAT	OR	ON	2008/12/02 10:50
S16	852	(waveguid$4 lightguid $4 lightrod lightpipe light-rod light-pipe (wave near1 guid$4) (light near1 guid$4)) with (core) with taper$4	US-PGPUB; USPAT	OR	ON	2008/12/02 10:54
S17	1206	(waveguid$4 lightguid $4 lightrod lightpipe light-rod light-pipe (wave near1 guid$4) (light near1 guid$4)) with (core) with (taper $4 narrow$4)	US-PGPUB; USPAT	OR	ON	2008/12/02 10:56
S18	77	(waveguid$4 lightguid $4 lightrod lightpipe light-rod light-pipe (wave near1 guid$4) (light near1 guid$4)) with (core) with (taper $4 narrow$4) with (horizontal$4 vertical$4)	US-PGPUB; USPAT	OR	ON	2008/12/02 10:56
S19	119	(waveguid$4 lightguid $4 lightrod lightpipe light-rod light-pipe (wave near1 guid$4) (light near1 guid$4)) with (core) with (taper $4 narrow$4) with (horizontal$4 vertical$4 step)	US-PGPUB; USPAT	OR	ON	2008/12/02 10:57
S20	126	(waveguid$4 lightguid $4 lightrod lightpipe light-rod light-pipe (wave near1 guid$4) (light near1 guid$4)) with (core) with (taper $4 narrow$4) with (horizontal$4 vertical$4 step$5)	US-PGPUB; USPAT	OR	ON	2008/12/02 10:57

S21	493	(waveguid$4 lightguid$4 lightrod lightpipe light-rod light-pipe (wave near1 guid$4) (light near1 guid$4)) with (core) with (taper$4 narrow$4) with (horizontal$4 vertical$4 step$5 side width thick$4 height$4)	US-PGPUB; USPAT	OR	ON	2008/12/02 10:57
S22	376	(waveguid$4 lightguid$4 lightrod lightpipe light-rod light-pipe (wave near1 guid$4) (light near1 guid$4)) with (core) with (taper$4 narrow$4) near5 (horizontal$4 vertical$4 step$5 side width thick$4 height$4)	US-PGPUB; USPAT	OR	ON	2008/12/02 10:58
S23	3	("5930423" "6760520" "20030081924").pn.	US-PGPUB; USPAT	OR	ON	2008/12/02 10:59
S24	255	(waveguid$4 lightguid$4 lightrod lightpipe light-rod light-pipe (wave near1 guid$4) (light near1 guid$4)) with (taper$4 narrow$4) near5 core near5 (horizontal$4 vertical$4 step$5 side width thick$4 height$4)	US-PGPUB; USPAT	OR	ON	2008/12/02 11:01
S25	1183	385/43.ccls.	US-PGPUB; USPAT	OR	ON	2008/12/02 11:06

2/4/2009 2:21:34 PM
C:\Documents and Settings\jbedtelyon\My Documents\EAST\Workspaces\10583523
System and tapered waveguide for improving light coupling efficiency.wsp